


DOOR #	DOOR STYLE	SIZE (WXH)	REMARKS	HARDWARE	FINISH
100	A	36" X 96"		HW-04	PT4 AND 1/2" THICK TEMPERED GLASS
101	B	36" X 96"	DOOR TO HAVE KEYED DEADBOLT	HW-11	CLEAR, 1/2" TEMPERED GLASS
102	E	60" X 108"	DOOR TO HAVE KEYED LOCK SYSTEM	HW-02 AND HW-03	PREFAB- REFER TO HW SCHED
103	G	36" X 96"	DOOR TO BE ON CLOSER; DOOR TO HAVE SEPARATE THUMB LATCH	HW-04	PT4 AND GL3
104	G	36" X 96"	DOOR TO BE ON CLOSER; DOOR TO HAVE SEPARATE THUMB LATCH	HW-04	PT4 AND GL3
105	D	36" X 96"	DOOR TO BE ON CLOSER; DOOR TO BE SECURITY ACCESS POINT	HW-04	PT4
106	C	36" X 96"	DOOR TO HAVE KEYED DEADBOLT	HW-04	PT4
107	D	36" X 96"		HW-04	PT4
108	D	36" X 96"		HW-04	PT4
109	G	36" X 96"	DOOR TO BE ON CLOSER; DOOR TO HAVE SEPARATE THUMB LATCH	HW-04	PT4 AND GL3
110	G	36" X 96"	DOOR TO BE ON CLOSER; DOOR TO HAVE SEPARATE THUMB LATCH	HW-04	PT4 AND GL3
111	D	36" X 96"	DOOR TO HAVE KEYED DEADBOLT	HW-04	PT4
112	D	36" X 96"	DOOR TO HAVE KEYED DEADBOLT	HW-04	PT4
113	D	36" X 96"	DOOR TO BE ON CLOSER; DOOR TO HAVE SEPARATE THUMB LATCH	HW-04	PT4
114	D	36" X 96"	DOOR TO BE ON CLOSER; DOOR TO HAVE SEPARATE THUMB LATCH	HW-04	PT4
115	D	36" X 96"	DOOR TO HAVE KEYED DEADBOLT	HW-04	PT4
116	D	36" X 96"	DOOR TO HAVE KEYED DEADBOLT	HW-04	PT4
117	REFER TO ARCHITECTURAL DRAWINGS FOR DOOR STYLE INFORMATION			HW-11	CLEAR TEMPERED GLASS
118	REFER TO ARCHITECTURAL DRAWINGS FOR DOOR STYLE INFORMATION			HW-11	CLEAR TEMPERED GLASS
119	F	40" X 96"	DOOR TO HAVE KEYED LOCK (SEE HW)	HW-12	PT4 AND 1/2" THICK TEMPERED GLASS

NOTE: ALL FRAMES TO BE PER DETAIL T34/D12.1 OR T47/D12.1. REFER TO ID3.0 FLOOR COVERING PLAN FOR WHICH FRAME TO BE USED.
 NOTE: ALL LOCKING MECHANISMS TO BE SEPARATE FROM LEVER.
 NOTE: ALL LEVERS TO BE ADA COMPLIANT; DOOR HARDWARE TO MEET NC BUILDING CODE'S CHAPTER 10 REQUIREMENTS.
 NOTE: ALL FIRE RATING AND LIFE SAFETY REQUIREMENTS MUST BE VERIFIED BY ARCHITECT

INTERIOR DOOR SCHEDULE

SCALE: 1/8" = 1'-0"



INTERIOR DOOR STYLES

SCALE: 1/4" = 1'-0"



MECKLENBURG COUNTY
 CODE ENFORCEMENT

The Design In These Construction Documents Have Been Reviewed For Compliance With The State Building Code. It Is The Responsibility Of The Contractor To Construct This Project With Good Engineering Practice And In Compliance With The North Carolina State Building Code.

