



THIS DRAWING AND THE DESIGN SHOWN IS THE PROPERTY OF THE ARCHITECT AND MAY NOT BE REPRODUCED, COPIED OR USED WITHOUT WRITTEN PERMISSION. COPYRIGHT © 2014, INTEC GROUP, INC.



1 LEASING BUILDING FIRST FLOOR PLAN
SCALE: 1/8" = 1'-0"




2 FITNESS BUILDING FIRST FLOOR PLAN
SCALE: 1/8" = 1'-0"

FINISH PLAN LEGEND:


- FINISH TAG
- FINISH PLAN KEY NOTE

KEY NOTES:

1. COLUMN TO BE PT6.
2. REFER TO ELEVATIONS; MULTIPLE FINISHES OCCUR.
3. UNIT CORRIDOR FINISHES TO BEGIN.
4. COLUMN TO BE BK1.
5. TYPICAL FOR ALL MAILROOMS IN EACH BUILDING TO BE PAINTED PT8.
6. TOP OF BASEBOARD TO CEILING TO BE DISTORTION-FREE MIRROR. REFER TO ELEVATIONS FOR TRIM AROUND MIRROR.
- 7.



3 CLUBHOUSE FIRST FLOOR PLAN
SCALE: 1/8" = 1'-0"



4 SKYDECK FOURTH FLOOR PLAN
SCALE: 1/8" = 1'-0"

SHEET NOTES:

1. ALL WALLS TO BE PT1 U.N.O.
2. REFER TO ID0.10 FOR ABBREVIATIONS AND SCHEDULES.
3. HATCHED WORK NOT IN SCOPE.
4. ALL FINISHES AND MATERIALS SHALL BE AS INDICATED IN THE DOCUMENTS. NO SUBSTITUTIONS WILL BE ACCEPTED WITHOUT PRIOR APPROVAL OF THE DESIGNER.
5. SURFACES TO RECEIVE FINISH WORK SHALL BE PREPARED IN ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS. WITH REGARD TO PAINTED SURFACES, THE NUMBER OF COATS SPECIFIED IS THE MINIMUM NUMBER REQUIRED. APPLY ADDITIONAL FINISH COATS WHEN UNDER COATS, STAINS OR OTHER CONDITIONS SHOW THROUGH THE APPLIED COAT OF PAINT. PAINT FILM SHALL BE OF UNIFORM THICKNESS, TEXTURE, COLOR AND APPEARANCE.
6. G.C. SHALL BE RESPONSIBLE FOR COMPLYING WITH VOLATILE ORGANIC COMPOUND REGULATIONS FOR ALL FINISH MATERIALS.
7. ALL NEW WORK TO BE IN ACCORDANCE WITH APPLICABLE CODES AND ACCESSIBILITY STANDARDS.
8. G.C. SHALL PROVIDE GWB FINISH IN COMPLIANCE WITH GYPSUM ASSOCIATION GA214-07.
9. ALL FINISHES TO MEET REQUIREMENTS OF TABLE 803.9 OF NCSBC.
10. ALL PAINTS TO BE LOW VOC, LESS THAN 50G/L AND MEET OR EXCEED GS-11 STANDARDS.

INTERIOR FINISH CRITERIA

ALL INTERIOR FINISHES SHALL MEET THE FOLLOWING REQUIREMENTS:
NORTH CAROLINA STATE BUILDING CODE - 2012, CHAPTER 8

	OCCUPANCY: ASSEMBLY
EXIT ENCLOSURES AND EXIT PASSAGEWAYS	WALLS & CEILINGS: SPRINKLERED
CORRIDORS	CLASS B
ROOMS AND ENCLOSED SPACES	CLASS C

	WALLS & CEILINGS: NONSPRINKLERED
EXIT ENCLOSURES AND EXIT PASSAGEWAYS	CLASS A
CORRIDORS	CLASS A
ROOMS AND ENCLOSED SPACES	CLASS B

IN ALL AREAS, FLOOR COVERING MATERIALS SHALL COMPLY WITH THE DOC FF-1 "PILL TEST"(LPS 16 CFR, PART 1630)

NOTE: CLASSIFICATIONS FOR WALLS AND CEILINGS IN ACCORDANCE WITH ASTM E84.


CLASS A	FLAMESPREAD 0-25; SMOKE DEVELOPED: 0-450
CLASS B	FLAMESPREAD 26-75; SMOKE DEVELOPED: 0-450
CLASS C	FLAMESPREAD 76-200; SMOKE DEVELOPED: 0-450

NOTE: CLASSIFICATIONS FOR FLOORS IN ACCORDANCE WITH ASTM E648

CLASS I	0.45 WATTS/SQUARE CM.
CLASS II	0.22 WATTS/SQUARE CM.

NOTE: ALL DECORATIVE MATERIALS AND TRIM (SECTION 806) THE PERMISSIBLE AMOUNT OF COMBUSTIBLE DECORATIVE MATERIALS MEETING THE FLAME PROPAGATION PERFORMANCE CRITERIA OF NFPA 701 SHALL NOT EXCEED 10 PERCENT OF THE SPECIFIC WALL OR CEILING AREA TO WHICH IT IS ATTACHED. MATERIALS OTHER THAN FOAM PLASTIC USED AS INTERIOR TRIM SHALL MEET THE FOLLOWING CRITERIA.

CLASS C	FLAMESPREAD 76-200; SMOKE DEVELOPED: 0-450
---------	--



MECKLENBURG COUNTY
CODE ENFORCEMENT

The Design In These Construction Documents Have Been Reviewed For Compliance With The State Building Code. It Is The Responsibility Of The Contractor To Construct This Project With Good Engineering Practice And In Compliance With The North Carolina State Building Code.

INTEC


INTEC Group, Inc.
214 W. TREMONT AVENUE
SUITE 301
CHARLOTTE, NC 28203
P: 704.372.7910
www.intecgroup.net



PROJECT

CRESCENT PROVIDENCE FARMS
11209 Providence Rd., Charlotte, NC 28270
INTERIOR DESIGN

STAMP



07/07/16
DRAWING LOG
FOR CONSTRUCTION/ GMP
07/07/16

ADDENDUM 5
04.22.16
ADDENDUM 6
07.07.16

SHEET INFORMATION

DATE OF DRAWING: 07/07/16
DRAWN BY: CPD
JOB NUMBER: 106701

FINISH PLANS

ID2.0

Thursday, August 04, 2016 | 11:56am | C:\Dabi\106701\Crescent Providence Farms\106701 - Crescent Providence Farms\106701 - PLANS.dwg